

FILO

Chromium-plated



Chromium-plated radiator (cod. 50)

Bathroom Radiator **FILO**

Chromium-plated

With its youthful and dynamic spirit, its tasteful aesthetics and natural propensity for insertion into any environment, the **chromium plated** version of **FILO** is a valid solution for those wishing to make their personal taste stand out. The intentionally slim-line and narrow horizontal rails, and the shape of the manifold, make every carefully designed detail of this radiator the perfect synthesis of an aesthetically balanced idea. Thanks to its new and appealing line, the **chromium plated** version of the **FILO** radiator becomes the protagonist in any type of interior design or environment.




Chromium-plated radiator (cod. 50)

FILO chrome plated



In photo: Filo Chrome radiator. Height mm 1709, width 516 mm, colour Chrome plated (cod. 50).



TECHNICAL SPECIFICATIONS: steel towel warmer radiator with horizontal elements featuring round tubes 12 mm diameter; side manifolds with a 45x30 mm ovoid section; manifold threading 1/2" Gas right; maximum working pressure 4 bar; maximum working temperature 95°C.

MODEL	Code	Depth P mm	Height H mm	Length L mm	Conn. centre L' mm	Weight Kg	Capacity lt	Thermal power				Expon. n.	Dual power Watt		
								Δt 50°C Btu/h	Δt 50°C Watt	Δt 40°C Watt	Δt 30°C Watt			Δt 20°C Watt	
785 H mm 785 31 RAILS 1 SPACE	FIP046 50	50	30	785	466	406	6,0	2,2	207	241	182	127	77	1,252	-
	FIP051 50	50	30	785	516	456	6,5	2,3	230	268	202	141	85	1,252	300
	FIP061 50	50	30	785	616	556	7,5	2,5	276	321	243	169	102	1,252	300
1203 H mm 1203 46 RAILS 2 SPACES	FIM046 50	50	30	1203	466	406	9,0	3,3	313	364	274	190	113	1,273	400
	FIM051 50	50	30	1203	516	456	9,8	3,5	347	404	304	211	126	1,273	400
	FIM061 50	50	30	1203	616	556	11,2	3,8	417	485	365	253	151	1,273	400
1467 H mm 1467 54 RAILS 3 SPACES	FIL046G 50	50	30	1467	466	406	10,8	4,0	376	437	329	228	136	1,273	400
	FIL051G 50	50	30	1467	516	456	11,6	4,2	417	485	365	253	151	1,273	400
	FIL061G 50	50	30	1467	616	556	13,3	4,6	497	578	435	302	180	1,273	400
1709 H mm 1709 65 RAILS 3 SPACES	FIG046 50	50	30	1709	466	406	12,8	4,7	454	528	395	272	160	1,299	400
	FIG051 50	50	30	1709	516	456	13,8	4,9	504	586	438	302	178	1,299	400
	FIG061 50	50	30	1709	616	556	15,9	5,4	604	702	526	362	214	1,299	700

50 = Chrome colour code

For Δt different from 50°C use the formula: $Q=Q_n (\Delta t / 50)^n$

Packaging include: 1 1/2" adjustable chrome plated air vent; 4 chromed wall brackets for color chromed Filo.

CE⁰⁵
EN442-1

EN⁴⁴²
EURO NORM

IRSAP
i termoarredatori